


REMARKS

Claims 1-19 are pending in the application. The present amendment is submitted to eliminate multiple dependent claims, particularly improper multiple dependent claims, to correct grammatical formatting and remove drawing references, and to reduce the filing fee.

Respectfully submitted,

COLEMAN SUDOL SAPONE, P.C.

By:   
R. Neil Sudol  
Reg. No. 31,669

Dated: 18 Jan 2002

714 Colorado Ave.  
Bridgeport, Connecticut 06605-1601  
203-366-3560

20081110 14:01:1802

**APPENDIX A  
TO PRELIMINARY AMENDMENT, SHOWING CHANGES TO SPECIFICATION**

Page 1, rewrite heading (entitled "Description") to read as follows:

--BACKGROUND OF THE INVENTION--

Page 1, between the second and third paragraphs (i.e., before the paragraph, "The main object of the present invention is...."), centered on page, insert a heading as follows:

--OBJECTS OF THE INVENTION--

Page 1, between the forth and fifth paragraphs (i.e., before the paragraph, "These and other objects that will be...."), centered on page, insert a heading as follows:

--SUMMARY OF THE INVENTION--

Page 2, between the first and second paragraphs (i.e., before the paragraph, "Further aspects and advantages of the present invention...."), centered on page, insert heading as follows:

--BRIEF DESCRIPTION OF THE DRAWINGS--

Page 2, between the third and forth paragraphs (i.e., before the paragraph, "With reference firstly to the above-listed Figures and...."), centered on page, insert a heading as follows:

--DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS--

Page 10, rewrite heading (entitled "CLAIMS") to read as follows:

--WHAT IS CLAIMED IS:--

## APPENDIX B

### TO PRELIMINARY AMENDMENT, SHOWING CHANGES TO CLAIMS

1. (Once Amended) A security device particularly suitable for a valuables case, having at least one electric power source [(10, 31)] and alarm system [(8, 9)] electrically connected to said power source [(10, 31)], [characterised in that it comprises] said alarm system comprising at least one light-responsive means [(2, 32)] that is installed in a valuables case [(1)] and is energized by the said electric power source [(10, 31)] upon control and by a change in environment lighting conditions, whereby generating at least one control signal for energizing the said alarm system [(8, 9)].
2. (Once Amended) A security device according to claim[s] 1, [characterised in that it comprises] comprising a key for the activation of said light-responsive [device] means [(2, 32)].
3. (Once Amended) A security device according to claim 2, [characterised in that it comprises] comprising a control means [(3)] for said light-responsive [device] means [(2, 32)].
4. (Once Amended) A security device as claimed in [any preceding] claim 1, [characterised in that it comprises] comprising a signal transmitter unit [(6)] installed in said valuables case [(1)] and a receiving unit [(7)] arranged to receive signals transmitted by said transmitter unit [(6)].
5. (Once Amended) A security device according to claim 4, [characterised in that] wherein

the said transmitter unit [(6)] is a satellite transmitter unit controlled by said control means [(3)].

6. (Once Amended) A security device according to claim [5 or 4] 1, [characterised in that] wherein said light-responsive [device] means comprises a luminosity levels sensor.

7. (Once Amended) A security device according to claim 6, [characterised in that] wherein said luminosity level sensor comprises at least one photodiode [(2a, 2b)].

8. (Once Amended) A security device according to [any preceding] claim [5 to 7] 3, [characterised in that] wherein said control means [(3)] comprises a photocoupler [(13)] including a diode [(13a)] and a transistor [(13b)], said diode [(13a)] being connected to the, or to each of the light-responsive means [(2)], said transistor [(13b)] being connected to a control device [(4)] controlled by said photocoupler [(13)] depending on the behavio[u]r of said light-responsive means [(2)].

9. (Once Amended) A security device according to claim 5, [characterised in that] wherein said control means [(3)] comprises and inductor [(16)] designed to generate a magnetic field.

10. (Once Amended) A security device according to [any preceding] claim 1, [characterised in that] wherein said alarm system [(8, 9)] comprises a sounder alarm and a door locking system.

11. (Once Amended) A security device according to [any preceding] claim 1, [characterised in that] wherein said alarm system [(8, 9)] is a remotely controlled system.

12. (Once Amended) A security device according to [any preceding] claim 8, [characterised by the fact that] wherein said control means [(3)] comprises a first operational amplifier [(23)].

13. (Once Amended) A security device according to [any preceding] claim 8, [characterised in that] wherein said control device [(4)] comprises a second operational amplifier [(27)].

14. (Once Amended) A security device according to [any preceding] claim 1, [characterised in that it comprises] comprising a sequencer means (30).

15. (Once Amended) A security device according to claim 14, [characterised in that] wherein said sequencer means comprises two logic NAND-type ports.

16. (Once Amended) A security device according to [any preceding] claim 1, [characterised in that] wherein said light-responsive means [(2, 32)] comprises an infrared sensor [(22)].

17. (Once Amended) A security device according to claim 16, [characterised in that it comprises] comprising an infrared emitter [(24)] located at a sales or display counter.

18. (Once Amended) A security device according to [any preceding] claim 1, [characterised in that it comprises] comprising a luminosity detection circuit [(32)] indicating the electric power source charge level.

19. (Once Amended) A security device according to [any preceding] claim 1, [characterised

in that it comprises] comprising a sensitivity selector [(21)] for the, or for each of the light-responsive means [(2, 32)].

20870" 4725007